

PROTECTION FRAMEWORK / EN 343: 2003 + A1: 2007

This garment is designed to protect from bad weather, precipitations in the form of rain or snow, fog, spray and moisture on the ground.

For professional use: **Fishing - agriculture - industry - cleaning** or other activities requiring this kind of protection.

PERFORMANCE


The assembled parts are High Frequency welded, guaranteeing a waterproof garment.

- Water penetration resistance $\geq 13,000 \text{ Pa} = \text{Class 3}$
- Evaporative resistance = n/a
Ret $> 40 \text{ m}^2 \cdot \text{Pa/W} = \text{Class 1}$

RESTRICTIONS ON USE

(specified in the EN 343: 2007 standard)

“A maximum continuous wear time is recommended for 1 full suit (jacket + trousers) without a thermal lining”

Ambient work temperature in °C	Time in minutes
25	60
20	75
15	100
10	240
5	Unlimited

PRINCIPAL MATERIALS

Ferrasac fabric - 680 g/m^2
Composition: 75 % PVC – 25 % Polyester

Features:

- **WATERPROOF**
- **HEAVY DUTY**

INSTRUCTIONS

- CARE



- STORAGE

- Do not leave in package in damp surroundings.
- Store in dry surroundings at room temperature.
- Keep away from strong heat and flames.

ILLUSTRATION AND INSTRUCTIONS

The apron can be worn normally or attached to a bib & braces

Detachable neckband.

Once removed, the apron can be attached through loops to the braces of a bib



Adjustable at the back

Fabric withstands harsh work conditions



i For maximum protection, the CRAB apron can be attached to an PPE classed bib & braces.

SIZE TABLE

Size	Size of the person's body (in cm)			Guideline measurements of clothing (in cm)		
	Stature	Waist size	Chest size	Waist size	Bib protection width	Apron length
One size	150-185+	60-116+	78-134+	108 (buckle tight) 157 (buckle loose)	42	60



Colour: blue

Tailles: one size

The lifespan of the garment is linked to conditions of use and the quality of its care.