

ISOCONF APRON NYLPECHE

C€ FR

Technical data

PROTECTION FRAMEWORK EN 343: 2019

This garment is designed to protect from bad weather, precipitations in the form of rain or snow, fog, spray and moisture on the ground.

For professional use: Fishing - agriculture - industry - cleaning or other activities requiring this kind of protection.

THIS ARTICLE IS A

CATEGORY 1 PPF

And complies with EU regulation 2016/425

PPE = Personal Protective Equipment



The assembled parts are High Frequency welded, guaranteeing a waterproof garment.

- Water penetration resistance ≥ 20,000 Pa = Class 4
- Evaporative resistance = n/a Ret > 40 m^2 .Pa/W = Class 1

RESTRICTIONS ON USE

(specified in the EN 343: 2019 standard)

"A maximum continuous wear time is recommended for 1 full suit (jacket + trousers) without a thermal lining"

Ambient work temperature in °C	Time in minutes	
25	60	
20	75	
15	100	
10	240	
5	Unlimited	



PRINCIPAL MATERIALS

Nylpêche fabric - 485 g/m²

Composition: 69 % PVC - 31 % Polyester

Double-sided coating

+ polyethylene foam inside the reinforcement

Features:

- WATERPROOF
- HEAVY DUTY

INSTRUCTIONS

CARE



- **STORAGE**
- Do not leave in package in damp surroundings.
- Store in dry surroundings at room temperature.
- Keep away from strong heat and flames.

For maximum protection, the ISOCONF apron with can be worn with oversleeves, gloves and PPE classed wellington boots.

SIZE TABLE

Size	Size of the person's body (in cm)		Guideline measurements of clothing (in cm)			
	Stature	Waist size	Chest size	Waist size	Bib protection width	Apron length
One size	150-185+	60-116+	78-134+	119 (elastic unstretched) 129 (elastic stretched)	35	128







Colour: blue, green, blue/yellow

Tailles: one size

The lifespan of the garment is linked to conditions of use and the quality of its care.