



**GUY COTTEN**

## CUFFS NYLPECHE



Technical data

### PROTECTION FRAMEWORK EN 343: 2019

This garment is designed to protect from bad weather, precipitations in the form of rain or snow, fog, spray and moisture on the ground.

For professional use: Fishing - agriculture - industry - cleaning or other activities requiring this kind of protection.

#### PERFORMANCE



1 (limited wearing time)  
x

The assembled parts are High Frequency welded, guaranteeing a waterproof accessory.

- Water penetration resistance  $\geq 20,000$  Pa = **Class 4**
- Evaporative resistance = n/a  
Ret  $> 40$  m<sup>2</sup>.Pa/W = **Class 1**

#### RESTRICTIONS ON USE

(specified in the EN 343: 2019 standard)

"A maximum continuous wear time is recommended for 1 full suit (jacket + trousers) without a thermal lining"

Ambient work temperature in °C	Time in minutes
25	60
20	75
15	100
10	240
5	Unlimited

### PRINCIPAL MATERIALS

Nylpêche fabric - 485 g/m<sup>2</sup>

Composition: 76 % PVC – 24 % Polyester

Features:

- **WATERPROOF**
- **HEAVY DUTY**

### INSTRUCTIONS

- CARE



- STORAGE

- Do not leave in package in damp surroundings.
- Store in dry surroundings at room temperature.
- Keep away from strong heat and flames.

THIS ARTICLE IS A

### CATEGORY 1 PPE

And complies with EU regulation 2016/425

PPE = Personal Protective Equipment

### ILLUSTRATION AND INSTRUCTIONS



Elastic arm circumference

Elastic cuff circumference



**i** The fabric and seams are waterproof, but the specific shape of this article means that it is not completely waterproof unless a PPE class jacket, smock or coat is worn.

### SIZE TABLE

Size	Size of the person's body (in cm)		Guideline to cuff measurements (in cm)		
	Arm circumference	Cuff circumference	Length of cuff	Arm circumference	Cuff circumference
One size	30-48	16-23	44	34 (Elastic unstretched) 51 (Elastic stretched)	28 (Elastic unstretched) 36 (Elastic stretched)



Colour: yellow,

Size: one

The lifespan of the garment is linked to conditions of use, storage and the quality of its care.