

# X-TRAPPER BIB & BRACES TROUSERS NYLPECHE / CAP COZ

Technical data

THIS ARTICLE IS A

CATEGORY 1 PPE

And complies with EU regulation 2016/425

PPE = Personal Protective Equipment

### PROTECTION FRAMEWORK EN 343: 2019

This garment is designed to protect from bad weather, precipitations in the form of rain or snow, fog, spray and moisture on the ground.

# For professional use: Fishing - agriculture - industry - cleaning or other activities requiring this kind of protection.

## PERFORMANCE

1 (limited wearing time)

The assembled parts are High Frequency welded, guaranteeing a waterproof garment.

- Water penetration resistance ≥ 20,000 Pa = Class 4
- Evaporative resistance = n/a Ret > 40 m<sup>2</sup>.Pa/W = **Class 1**

### RESTRICTIONS ON USE

(Specified in the EN 343: 2019 standard) "A maximum continuous wear time is recommended for 1 full suit (jacket + trousers) without a thermal lining"

Ambient work	Time
temperature in °C	In minutes
25	60
20	75
15	100
10	240
5	Unlimited

## PRINCIPAL MATERIALS

Nylpêche fabric - 485 g/m<sup>2</sup> Composition: 69 % PVC – 31 % Polyester Cap-Coz fabric – 480 g/m<sup>2</sup> Composition: 77 % PVC – 23 % Polyester Lining: 82 % PVC – 18 % Polyester

### Features:

# - COMFORTABLE, WATERPROOF, HEAVY DUTY and SUPPLE

# **INSTRUCTIONS**

CARE



STORAGE

- Do not leave in package in damp surroundings.

- Store in dry surroundings at room temperature.

- Keep away from strong heat and flames.



For maximum protection, the X-TRAPPER bib and braces trousers can be worn with a PPE classified jacket, smock or coat.

### SIZE TABLE

Size		person's body i cm)	Guideline measurements of clothing (in cm)
	Stature	Waist size	Waist size Elastic unstretched - stretched
XS	150-165	60-76	98-121
S	165-170	76-84	108-131
М	170-180	84-92	116-139
L	175-185	92-100	126-149
XL	180-190	100-108	134-157
XXL	185+	108-116	146-169
XXXL	185+	116+	152-175



<u>Colour</u>: yellow/orange – yellow/blue – yellow/black

<u>Sizes</u>: XS (yellow/orange) – S – M – L – XL – XXL – XXXL

The lifespan of the garment is linked to conditions of use, storage and the quality of its care.